


Item code: **OLDI2WP****TERMS OF USE**

Hard Conditions: bar, pub



Seaside



Medium Conditions: HORECA

MATERIALS AND FINISHES

Aluminium frame with WaProLace cover




Natural



White

TYPE OF PRODUCT


Assembled

PACKAGING

1 pz






29 Kg

1,056 m³

138 x 85 x 90 cm



Item code:

OLDI3WP**TERMS OF USE**

Hard Conditions: bar, pub



Seaside



Medium Conditions: HORECA

MATERIALS AND FINISHES

Aluminium frame with WaProLace cover




Natural



White

TYPE OF PRODUCT


Assembled

PACKAGING

1 pz




48 Kg

1,507 m³

197 x 85 x 90 cm

Item code:

OLPOLW**TERMS OF USE****H**

Hard Conditions: bar, pub

SG

Seaside

M

Medium Conditions: HORECA

MATERIALS AND FINISHES

Aluminium frame with WaProLace cover




Natural



White

TYPE OF PRODUCT


Assembled

PACKAGING

1 pz



20 Kg

0,604 m³

79 x 85 x 90 cm

CURA E MANUTENZIONE**ALLUMINIO**

Per mantenere pulito l'alluminio è sufficiente una bacinella con acqua pulita tiepida, un detergente solido o liquido neutro – non abrasivo e non a base di ammoniaca, candeggina o alcool – panni morbidi e una spugna non abrasiva. Utilizzare il panno morbido per asciugare ed evitare la formazione di aloni. Si raccomanda di utilizzare solo acqua tiepida a temperatura massima di 30°. Nel caso di macchie persistenti utilizzare una soluzione di aceto, sapone di Marsiglia neutro o bicarbonato (un cucchiaio di sapone/bicarbonato per ogni litro di acqua).

WAPROLACE

Per mantenere pulita la fibra sintetica WaProLace® Unopiù ha messo a punto un kit di pulizia ad hoc. Il kit è composto da un detergente speciale non schiumogeno che rimuove lo sporco e ripristina l'aspetto della fibra e uno spray di protezione che alimenta i plastificanti e mantiene la flessibilità della fibra. Il filtro UV ne mantiene inoltre l'aspetto e prolunga la durata nel tempo aiutando a prevenire le macchie.

CARE AND MAINTENANCE**ALUMINUM**

To maintain the aluminium clean use a basin with warm clean water, a solid or neutral liquid detergent (non-abrasive and not ammonia, bleach or alcohol-based) soft cloths and a non-abrasive sponge. Use a soft cloth to prevent halos. It is recommended to use only lukewarm water (maximum 30°C). In case of persistent stains use a solution of vinegar, neutral Marseille soap or bicarbonate (a spoonful of soap/bicarbonate for each liter of water).

WAPROLACE

To keep the synthetic fiber clean WaProLace® Unopiù has developed a specific kit. The kit is made of a special non-foaming detergent that removes dirt and restores the fiber and a protective spray that revives the plasticizers and maintains the fiber's flexibility. The UV filter helps the fiber maintain its appearance and extends its duration over time, protecting it from stains.